

BRIDGEPORT SPEEDWAY

2010 MODIFIED DIVISION

A. ENGINES:

1. Only American manufactured V8 engines will be allowed. (GM, Ford, or Chrysler)
2. 477 cubic inch maximum with one American manufactured carburetor, no fuel injectors or multiple carburetors allowed.
 - a. 396 cubic inch minimum big block
3. No big small block engines allowed.
4. DIRT legal 358 cubic inch, PA legal 358 cubic inch and 339 cubic inch American manufactured engines with one American manufactured carburetor, no fuel injectors or multiple carburetors are allowed.
5. No alum blocks
6. No titanium crankshafts or rods are permitted.
7. Dirt rule apply.
8. No traction control
9. No digital ignition controls
10. Wire from MSA to distributor must have no covering

B. WEIGHT REQUIREMENTS:

1. 358 cubic inch Modifies with cast iron heads (non-ported), 2450 lbs. with driver after the race.
2. All other engines 2500 lbs. with driver after the race.
3. Cars not making weight are subject to a fine and/or disqualification.

C. FUEL REQUIREMENTS:

1. Bridgeport Speedway track racing gasoline, all engines.

2. Except for 339 cu/in engines with steel or aluminum heads, alcohol or track racing gasoline.
3. Except for 358 cu/in engines with steel heads, alcohol or track racing gasoline
4. No nitrous or any other additives are allowed. All cars are subject to random testing.
5. Any car found with illegal fuel will be subject to a fine and/or disqualification

D. FUEL TANK REQUIREMENTS:

1. Fuel cells with rubber bladders and factory steel container required.
2. See section 1, B-2

E. MUFFLER REQUIREMENTS:

1. All cars must run satisfactory noise dampening mufflers for all Bridgeport Speedway events.

F. BODY REQUIREMENTS:

1. "DIRT" style legal bodies only. No sail panels, wings, etc. allowed.
2. Only aluminum or steel will be allowed for all inner or outer body panels.
3. 2009 Dirt rules

G. NUMBER REQUIREMENTS:

1. All numbers and letters will be limited to three digits. If three digits are used, two shall be primary numbers. Numbers are required on roof, nose, rear deck and both doors.
2. All letters and numbers must be a minimum of 18" high on the roof and doors, and 8" high for the rear deck and nose. All numbers and letters must be equal size and painted or declared, no taping.
3. All teams' cars must be clearly distinguishable from one another and use a different number or letter.

H. TRACK TIRE REQUIREMENT:

1. The specified Bridgeport Speedway track tire must be used in the size and compound specified. NO EXCEPTIONS.

I. TRANSMISSION REQUIREMENTS:

1. Approved racing manufactured transmission only.
2. No automatic transmissions allowed.

3. No overdrive or under drive transmissions allowed.

J. REAR END REQUIREMENTS:

1. Conventional quick-change type rear end only.
2. No lockers or 2-speed rears allowed.
3. No limited slip type rear ends or hubs allowed.

K. STARTER REQUIREMENTS:

1. All cars must have a battery.
2. All cars must have a self-starter in good working condition.

L. DIRT RULES APPLY

On occasions situations may arise that are not covered in this rule package. All rulings and interpretations of the rules included herein will be made by Bridgeport Management and or officials. Such rulings and interpretations shall be deemed final.